

# **000-723 - IBM WebSphere Commerce V7.0, Application Development**

**<http://www.Pass-Guaranteed.com>**



***100% Pass-Guaranteed or Your Money Back!!!***

## 000-723 Practice Exam Questions Demo

### QUESTION: 1

An application developer needs to enable e-mail notification in workspaces in the WebSphere Commerce development environment.

Which snippet would be appropriate?

- A. `<ActivateTaskEmail isEmailEnabled="true" from="" cc="" bcc="" language="en_US" />`  
`<RejectTaskEmail isEmailEnabled="true" from="" cc="" bcc="" language="en_US" />`  
`<ApproveTaskGroupEmail isEmailEnabled="true" from="" cc="" bcc="" language="en_US" />`
- B. `<ActivateEmail isEmailEnabled="true" from="" cc="" bcc="" language="en_US" />`  
`<RejectEmail isEmailEnabled="true" from="" cc="" bcc="" language="en_US" />`  
`<ApproveGroupEmail isEmailEnabled="true" from="" cc="" bcc="" language="en_US" />`
- C. `<ActivateTaskEmail isEmailEnabled="true" from="" cc="" bcc="" language="en_US" />`  
`<RejectTaskEmail isEmailEnabled="true" from="" cc="" bcc="" language="en_US" />`  
`<NotificationTaskEmail isEmailEnabled="true" from="" cc="" bcc="" language="en_US" />`
- D. `<ActivateEmail isEmailEnabled="true" from="" cc="" bcc="" language="en_US" />`  
`<RejectEmail isEmailEnabled="true" from="" cc="" bcc="" language="en_US" />`  
`<NotificationEmail isEmailEnabled="true" from="" cc="" bcc="" language="en_US" />`

**Answer: A**

### QUESTION: 2

An application developer needs to write custom business logic to check if the changeable part of the noun requires modification.

Which approach does the application developer need to follow?

- A. Create a Java class that extends `AbstractChangeNounPartUsingBusinessObjectMediatorCmdImpl` and implements the `ChangeNounPart` interface.
- B. Create a Java class that extends `BusinessObjectMediatorCmdImpl` and implements the `ChangeNounPartValidation` interface.
- C. Create a Java class that extends `ChangeNounPartUsingBusinessObjectMediatorCmdImpl` and implements the `ChangeNounPartValidation` interface.
- D. Create a Java class that extends `ChangeNounPartUsingBusinessObjectMediatorCmdImpl` and implements the `ChangeNounPart` interface.

**Answer: A**

### QUESTION: 3

An application developer notices that the `agent_data_location` does not contain copied data.

What behavior can the application developer expect during a silent installation using the IBM Installation Manager?

***100% Pass-Guaranteed or Your Money Back!!!***

## ***000-723 Practice Exam Questions Demo***

The IBM Installation Manager:

- A. fails to execute.
- B. creates a new agent\_data\_location.
- C. copies the data to the agent\_data\_location.
- D. fails to detect previous Rational Application Developer installations.

**Answer: D**

### **QUESTION: 4**

An application developer needs to define the store level action mapping to specify a target JSP file which will format Atom feeds for WebSphere Commerce Web services. Where:

**ShowCatalogGroupDataAreaType is the name of the SDO for the noun.  
SerializeCatalogGroupMadisonsAtom.jsp is the feed formatting JSP file.**

What should be the action mapping in the struts-extension.xml file?

- A. <action path="/ShowCatalogGroupDataAreaTypeAtom/0"  
forward="/atom/Store/SerializeCatalogGroupMadisonsAtom.jsp"/>
- B. <action path="/ShowCatalogGroupDataAreaTypeAtom/<store\_Id>"  
forward="/atom/Store/SerializeCatalogGroupMadisonsAtom.jsp"/>
- C. <action path="/ShowCatalogGroupDataAreaType/0"  
forward="/Rest/WebContent/atom/Store/SerializeCatalogGroupMadisonsAtom.jsp"/>
- D. <action path="/ShowCatalogGroupDataAreaType/<store\_Id>"  
forward="/Rest/WebContent/atom/Store/SerializeCatalogGroupMadisonsAtom.jsp"/>

**Answer: B**

### **QUESTION: 5**

What file does the application developer need to examine first to confirm the successful installation of WebSphere Commerce Developer?

- A. setup.log
- B. SystemOut.log
- C. setdbtype.log
- D. wc-server.xml

**Answer: A**

### **QUESTION: 6**

In order to enable a WebSphere Commerce store with Web 2.0 features, the application developer must define elements in the JSP files.

These elements include which of the following? (Select two.)

***100% Pass-Guaranteed or Your Money Back!!!***

## 000-723 Practice Exam Questions Demo

- A. Context controller
- B. Refresh areas
- C. Refresh controllers
- D. Refresh redirectors
- E. Refresh responders

**Answer:** B, C

### QUESTION: 7

When publishing the migrated application in WebSphere Commerce Developer, an application developer notices that the publishing fails and an exception similar to the following example occurs.

```
[1/7/10 14:32:31:125 PST] 00000064 CommerceSrvr A WcsApp initPolicyManager CMND0073: Initialization has started for "Policy Manager".
[1/7/10 14:35:50:734 PST] 0000006f SystemErr R Exception in thread "LT=O:P=S10359:C=D:port=S100"
java.lang.OutOfMemoryError
[1/7/10 14:36:21:156 PST] 0000006f SystemErr R at java.net.PlainSocketImpl.socketAccept(Native Method)
[1/7/10 14:36:23:187 PST] 0000006f SystemErr R at java.net.PlainSocketImpl.accept(PlainSocketImpl.java:414)
[1/7/10 14:36:26:281 PST] 0000006f SystemErr R at java.net.ServerSocket.implAccept(ServerSocket.java:464)
[1/7/10 14:36:35:015 PST] 00000064 CommerceSrvr E PolicyManagerProvider getInstance CMND409E: The following error
occurred during processing: "java.lang.reflect.InvocationTargetException".
[1/7/10 14:36:37:000 PST] 00000064 CommerceSrvr E WcsApp initPolicyManager CMND112E: The following error has been
detected while initializing "Instance/PolicyManagerClassName":
java.lang.reflect.InvocationTargetException, java.lang.reflect.InvocationTargetException
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:39)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:37)
at java.lang.reflect.Method.invoke(Method.java:599)
at com.ibm.commerce.accesscontrol.policymanager.PolicyManagerProvider.getInstance(PolicyManagerProvider.java:79)
at com.ibm.commerce.server.WcsApp.initPolicyManager(WcsApp.java:506)
<more error lines>
```

The exception that the application developer should focus on first is the:

- A. ServerSocket exception.
- B. Access Control exception.
- C. InvocationTarget exception.
- D. OutOfMemoryError exception.

**Answer:** D

### QUESTION: 8

The IBM Sales Center uses SOAP over HTTP messaging protocol to communicate with the WebSphere Commerce Server. The request handler prepares a Business Object Document (BOD) and sends it to the WebSphere Commerce server.

What is the next step to process this request?

- A. The message mapper invokes a WebSphere Commerce BOD command.
- B. The message mapper invokes a WebSphere Commerce controller command.
- C. The message mapper maps the BOD to a WebSphere Commerce BOD command.
- D. The message mapper maps the BOD to a WebSphere Commerce response builder command.

**Answer:** C

**100% Pass-Guaranteed or Your Money Back!!!**

## 000-723 Practice Exam Questions Demo

### QUESTION: 9

An application developer wants to develop new commands and refers to the Information Center documentation to understand how the commands and tasks are mapped to the table.

Under which section would this information be found?

- A. Reference
- B. Tutorials
- C. Developing
- D. IBM Education Assistant

**Answer: A**

### QUESTION: 10

After running the data load utility, the application developer notices an error similar to the following:

```
An error occurred while attempting to populate the table ITEMSPC because the mandatory parameter ParentProductIdentifier was missing.

The ID was not resolved for the table ITEMSPC with the unique index data [DL_PROD1_SKU1, 7000000000000000054]
Stack trace:
com.ibm.commerce.foundation.data.load.exception.DataLoadApplicationException: The ID was not resolved for the
table ITEMSPC with the unique index data [DL_PROD1_SKU1, 7000000000000000054].
    at
com.ibm.commerce.foundation.data.load.id.resolve.IDResolverForOneTable.resolveId(IDResolverForOneTable.java:336)
    at com.ibm.commerce.foundation.data.load.id.resolve.IDResolverImpl.resolveId(IDResolverImpl.java:266)
    at com.ibm.commerce.foundation.data.load.businessobjectmediator.AbstractBusinessObjectMediator.resolveIds(
AbstractBusinessObjectMediator.java:1164)
    at com.ibm.commerce.foundation.data.load.businessobjectmediator.AbstractBusinessObjectMediator.resolveId(A
bstractBusinessObjectMediator.java:1118)
    at com.ibm.commerce.inventory.data.load.mediator.AbstractInventoryMediator.resolveItemSPCId(AbstractInvent
oryMediator.java:656)
    at com.ibm.commerce.inventory.data.load.mediator.InventoryReceiptMediator.populateRECEIPT(InventoryReceipt
Mediator.java:251)
    at com.ibm.commerce.inventory.data.load.mediator.InventoryReceiptMediator.transform(InventoryReceiptMediat
or.java:120)
    <...>

Note: The information in bold represents variable information: 7000000000000000054 is the member_id, and DL_PROD1_SKU1 is the
partnumber.
```

What is the cause of the error?

- A. The item id is incorrect or missing.
- B. The unique index constraint is violated.
- C. The inventory value for the product is missing.
- D. The inventory system being used is set to ATP while loading non-ATP data.

**Answer: D**