



PASS-GUARANTEED.COM

100% Money Back Guarantee!!!

Your #1 Certification Training Resource

Product Details from Pass-Guaranteed.com:

EMC Content Management Server Programming (CMSP)

E20-405

Demo Version

Download Full Version
Visit

<http://www.Pass-Guaranteed.com>

Complete Certification Training Solutions



Study Tips

This product will provide you with questions and answers carefully compiled and written by our Expert Senior Certified Staff. Our practice questions are designed to help you learn the concepts behind the questions rather than be a strict memorization tool.

Important Note:

Please Read Carefully

Repeated readings of our Pass-Guaranteed.com Practice Exam will increase your comprehension. We constantly add to and update our Practice Exams with new questions, answers and explanations, so check that you have the latest version of this Practice Exam before you take your exam.

For security purposes, each PDF file is encrypted with a unique serial number associated With your Pass-Guaranteed.com account information. In accordance with International Copyright Law, Pass-Guaranteed.com reserves the right to take legal action against you should we find copies of this PDF file distributed to other parties.

Update Notifications (Latest Version)

We are constantly reviewing our products. New material is added and old material is revised. Free Updates are available for 180 days after purchase. If you purchased a bundle, you will have Free Updates for 1 YEAR!

You can signup to our newsletter for instant notification whenever an update is released by becoming a Pass-Guaranteed.com member at: <http://www.pass-guaranteed.com/log.htm>

By becoming a Pass-Guaranteed.com member, you also get a chance to win a FREE Practice Exam of your choosing. We give away 3 Pass-Guaranteed.com Practice Exams every week to 3 lucky winners.

Pass-Guaranteed.com Product Specials

Pass-Guaranteed.com Custom Bundle Requests, cover all Pass-Guaranteed.com Products!!! You can visit our Special Bundle Discounts from Pass-Guaranteed.com or make your own Custom Bundle Request with Pass-Guaranteed.com here: <http://www.pass-guaranteed.com/bundles.htm>

Pass-Guaranteed.com Custom Bundle Request Form let's you create your own Bundle Of Products!!! You can select and group any of our products for your Custom Bundle and we will give you up to a **50% Discount** on your Custom Bundle Package. This includes our [Practice Test Questions](#), [Online Course Tutorials](#), [Study Guides](#), [Lab Scenarios](#) and our [Certified Online Instructor](#) service.

Please visit: <http://www.pass-guaranteed.com/custom-request.htm> If you would like to purchase a Custom Bundle from Pass-Guaranteed.com.

QUESTION: 1

Which statement is true about the object model?

- A. dmr_content is not a sub-type of dm_sysobject although sysobject contents are stored as dmr_content objects.
- B. dm_acl objects are stored in the System cabinet.
- C. Not all sysobjects can have associated permissions.
- D. Virtual documents are objects of type dm_relation that describe a parent/child relationship between bjects.

Answer: A

QUESTION: 2

How do you manually configure the DFC global registry?

- A. 1.add the dfc.bof.registry entries to the dfc.properties file.
- B. 1.encrypt the password
2. add the dfc.bof.registry entries to the dfc.properties file.
- C. 1.activate the registry user
2. change the password
3. encrypt the password
4. add the dfc.bof.registry entries to the dfc.properties file.
- D. 1.create a new user as a consumer
2. designate the user as a registry user
3. encrypt the password
4. add the dfc.bof.registry entries to the dfc.properties file.

Answer: C

QUESTION: 3

You have a working registered table called "CompanyList" with one string column called "CompanyName" with one row value "EMC."

What is the output of the following statements?

- A. null
- B. EMC
- C. CompanyName
- D. A DfException is thrown.

Answer: D

QUESTION: 4

Which statement is true?

- A. You use the IDfClient.getQuery method to obtain an IDfQuery object.
- B. The execute method of an IDfQuery object returns an IDfCollection.
- C. The execute method of an IDfQuery object returns an IDfEnumeration.
- D. The execute method of an IDfQuery object only requires the repository name as a parameter.

Answer: B

QUESTION: 5

Which code should you use to create a copy of the current object and place it in CopyCab?

- A. IDfSysObject sysObj = (IDfSysObject)session.getObject(myId);
sysObj.link("/CopyCab");
sysObj.savelock();
- B. IDfSysObject sysObj = (IDfSysObject)session.getObject(myId);
sysObj.unlink("/SourceCab");
sysObj.link("/CopyCab");
sysObj.saveAsNew(false);
- C. IDfSysObject sysObj = (IDfSysObject)session.newObject(myId);
sysObj.link("/CopyCab");
sysObj.save();
- D. IDfSysObject sysObj = (IDfSysObject)session.getObject(myId);
sysObj.unlink("/SourceCab");
sysObj.link("/CopyCab");
sysObj.save();

Answer: B

QUESTION: 6

When are the binding rules for a virtual document actually applied?

- A. When the virtual document is saved
- B. When IDfSysObject.asVirtualDocument() is called
- C. When IDfVirtualDocumentNode.getChildCount() is called
- D. When IDfVirtualDocument.getRootNode() is called

Answer: C

QUESTION: 7

Which statement is true?

- A. IDfSession.getLoginTicket() will return a ticket from the current session.
- B. IDfSession.getLoginTicket() will return a new session object for the current user.
- C. IDfSession.getLoginTicket() will return a new session object for the super user.

D. IDfSession.getLoginTicket() will return a ticket from a new session.

Answer: A

QUESTION: 8

Which DFC interface provides a getCheckoutDirectory () method that returns the local checkout directory?

- A. IDfClient
- B. IDfClientX
- C. IDfSession
- D. IDfClientRegistry

Answer: D

QUESTION: 9

Which statement is true about Trusted Content Services (TCS)?

- A. TCS is not required to create ApplicationPermission entries.
- B. TCS is not required to evaluate ApplicationPermission entries.
- C. TCS is not required to delete ApplicationPermission entries.
- D. TCS validates and enforces application permissions at the server level.

Answer: B

QUESTION: 10

Where are the credentials located for the BOF's client dynamic delivery mechanism?

- A. dfc.properties
- B. dmcl.ini
- C. bof.properties
- D. dbor.properties

Answer: A

QUESTION: 11

Which SBO method signature is valid for conversion to a web service?

- A. void setKeyword(IDfSysObject obj, int index, String value)
- B. boolean uploadConfiguration(java.io.File myFile)
- C. boolean setKeyword(IDfSysObject obj, int index, String value)
- D. int countDocuments(IDfSession sess, String qualification)

Answer: B

QUESTION: 12

What happens when you fail to close open query collections in a DFC application?

- A. Performance for other users will be impaired.
- B. Eventually, no more queries can be executed.
- C. Garbage collection will release appropriate resources.
- D. The session will disconnect.

Answer: B

QUESTION: 13

What kind of module is used to create a Documentum Web Service?

- A. Type-based Business Object
- B. Service-based Business Object
- C. Web-based Business Object
- D. Custom Module

Answer: B

QUESTION: 14

Given the following repositories that are projecting to the following Connection Brokers:

How do you dynamically add host2 as additional Connection Broker, such that Docbase A and Docbase B are listed as available repositories?

- A. change "host = host1" to "host = host1, host2" in dmcl.ini
- B. execute IDfDocbrokerClient.addDocbroker("host2",1489);
- C. add the following statements in the dmcl.ini: [DOCBROKER_BACKUP_1] host=host2 port=1489
- D. add the following statements in the dmcl.ini: [DOCBROKER_SECONDARY] host=host2 port=1489

Answer: B

QUESTION: 15

Given the following architecture:

server1 - content server and java method server

app1 - application server running Webtop

local1 - client computer

To disable full-text search for end users of Webtop, on which computer should you update the dfc.properties file?

- A. server1 only
- B. app1 only
- C. both server1 and local1

D. both app1 and local1

Answer: B

QUESTION: 16

A TBO has been created for the custom object type called my_loan_application. If the following statement is executed in a Webtop custom component, where is the TBO executed?

```
IDfSysObject loanApp = (IDfSysObject)session.newObject("my_loan_application");
```

- A. The TBO executes on the client browser's JVM.
- B. The TBO executes on the Global Registry computer.
- C. The TBO executes on the application server JVM.
- D. The TBO executes on the Content Server JVM.

Answer: C

QUESTION: 17

How should you deploy a TBO to the repository?

- A. Using IDfClient.newModule() only
- B. Using Documentum Application Installer only
- C. Using both Documentum Application Installer and IDfClient.newModule()
- D. Using Documentum Application Installer, IDfClient.newModule() and IDfClient.newService()

Answer: B

QUESTION: 18

What are the minimum required components to extend custom object type behavior?

- A. TBO and SBO
- B. TBO and DFC
- C. SBO and DFC
- D. SBO and Web Services Framework

Answer: B

QUESTION: 19

A TBO has been created for a custom object type called my_loan_application. The TBO relies on a dependant SBO to calculate credit scores. The TBO is only invoked by the Webtop application.

Where does the SBO execute?

- A. Global registry machine
- B. Content Server JVM
- C. Application Server JVM
- D. the client browser's JVM

Answer: C

QUESTION: 20

Given an SBO called com.mycompany.ICreditScore and the following statement:

```
newModule(repositoryName, "com.mycompany.ICreditScore", sessionMgr)
```

What does the statement do?

- A. deploys com.mycompany.ICreditScore module
- B. deploys com.mycompany.ICreditScore service
- C. deploys and instantiates com.mycompany.ICreditScore module
- D. deploys and instantiates com.mycompany.ICreditScore service

Answer: C

QUESTION: 21

Which statement is true about Documentum Web Services Framework (WSF)?

- A. All business objects can be exposed as Services using WSF.
- B. Currently WSF does not support secured SOAP transfer.
- C. WSF does not require UDDI to discover Web services.
- D. Currently WSF only supports J2EE clients.

Answer: C

QUESTION: 22

Which statement is true about Connection Brokers?

- A. A Connection Broker is not required in order to establish a session between DFC application and Content Server.
- B. To perform IP translation through a firewall, you need to have two Connection Brokers.
- C. Load balancing across Connection Brokers is not natively supported.
- D. When you shut down a Content Server, it automatically shuts down its primary Connection Broker.

Answer: A

QUESTION: 23

Given the following repositories that are projecting to the following Connection Brokers:

Docbase A -> host1 and host3

Docbase B -> host1 and host2

Docbase C -> host1, host2, and host3

And given the following code:

```
IDfDocbaseMap myMap = client.getDocbaseMap();  
for(int i = 0; i < myMap.getDocbaseCount(); i++) {  
    System.out.println(myMap.getDocbaseName(i));  
}
```

What is the output for the code, assuming you are using a session established to Docbase C from host2?

- A. null
- B. Docbase C
- C. Docbase B Docbase C
- D. Docbase A Docbase B Docbase C

Answer: C

QUESTION: 24


Which is NOT a valid interface?

- A. IDfCabinet
- B. IDfFolder
- C. IDfDocument
- D. IDfGroup

Answer: A

QUESTION: 25

Exhibit



Which interface is missing in the diagram?

- A. IDfFolder
- B. IDfCabinet
- C. IDfPersistentObject
- D. IDfNonPersistentObject

Answer: C

QUESTION: 26

How can you provide an interface for a custom object type that gets instantiated using DFC methods such as getObject()?

- A. extend IDfDocument
- B. extend IDfSysObject
- C. create a TBO with an interface for the custom object type
- D. create an SBO with an interface for the custom object type

Answer: C

QUESTION: 27

Which interface can be used when creating repository objects that have content?

- A. IDfTypedObject
- B. IDfDocument
- C. IDfPersistentObject

D. IDfContentObject

Answer: B

QUESTION: 28

Which interface declares the save() method?

- A. IDfSysObject
- B. IDfTypedObject
- C. IDfDocument
- D. IDfPersistentObject

Answer: D

QUESTION: 29

A custom object type called my_loan_application is created with a custom repeating attribute called borrower_names. The data type of the attribute is String.

Which interface declares a method to update borrower_names?

- A. IDfTypedObject
- B. IDfType
- C. IDfValueAssistance
- D. IDfCustomObject

Answer: A

QUESTION: 30

What is the correct hierarchy in the Documentum object model?

- A. dm_folder inherits from dm_cabinet, which inherits from dm_sysobject.
- B. dm_sysobject inherits from dm_document.
- C. dm_document inherits from dm_folder, which inherits from dm_sysobject.
- D. dm_category inherits from dm_folder, which inherits from dm_sysobject.

Answer: D