



PASS-GUARANTEED.COM

100% Money Back Guarantee!!!

Your #1 Certification Training Resource

Product Details from Pass-Guaranteed.com:

Supporting the MSA1000 and SCSI JBODS

HP0-238

Demo Version

Download Full Version

Visit

<http://www.Pass-Guaranteed.com>

Complete Certification Training Solutions



**Practice Exam
Test Questions**
Click Here To Learn More
Go ->



**Online Course
Tutorials**
with TESTING ENGINE
Go ->



Study Guides
Click Here to Learn More
About Our Prep Labs
Go ->



Lab Scenarios
Click Here to Learn More
About Our Prep Labs
Go ->



Preparation Labs
Click Here to Learn More
About Our Prep Labs
Go ->



**Online
Testing Engine**
Click Here To Learn More
Go ->



Study Tips

This product will provide you with questions and answers carefully compiled and written by our Expert Senior Certified Staff. Our practice questions are designed to help you learn the concepts behind the questions rather than be a strict memorization tool.

Important Note:

Please Read Carefully

Repeated readings of our Pass-Guaranteed.com Practice Exam will increase your comprehension. We constantly add to and update our Practice Exams with new questions, answers and explanations, so check that you have the latest version of this Practice Exam before you take your exam.

For security purposes, each PDF file is encrypted with a unique serial number associated With your Pass-Guaranteed.com account information. In accordance with International Copyright Law, Pass-Guaranteed.com reserves the right to take legal action against you should we find copies of this PDF file distributed to other parties.

Update Notifications (Latest Version)

We are constantly reviewing our products. New material is added and old material is revised. Free Updates are available for 180 days after purchase. If you purchased a bundle, you will have Free Updates for 1 YEAR!

You can signup to our newsletter for instant notification whenever an update is released by becoming a Pass-Guaranteed.com member at: <http://www.pass-guaranteed.com/log.htm>

By becoming a Pass-Guaranteed.com member, you also get a chance to win a FREE Practice Exam of your choosing. We give away 3 Pass-Guaranteed.com Practice Exams every week to 3 lucky winners.

Pass-Guaranteed.com Product Specials

Pass-Guaranteed.com Custom Bundle Requests, cover all Pass-Guaranteed.com Products!!! You can visit our Special Bundle Discounts from Pass-Guaranteed.com or make your own Custom Bundle Request with Pass-Guaranteed.com here: <http://www.pass-guaranteed.com/bundles.htm>

***Pass-Guaranteed.com Custom Bundle Request Form let's you create your own Bundle Of Products!!!** You can select and group any of our products for your Custom Bundle and we will give you up to a **50% Discount** on your Custom Bundle Package. This includes our [Practice Test Questions](#), [Online Course Tutorials](#), [Study Guides](#), [Lab Scenarios](#) and our [Certified Online Instructor](#) service.*

Please visit: <http://www.pass-guaranteed.com/custom-request.htm> If you would like to purchase a Custom Bundle from Pass-Guaranteed.com.

QUESTION: 1

Identify the correct Ultra 2 SCSI, Ultra 3 SCSI and Ultra 320 SCSI clock rates.

- A. Ultra 2 has 40 MHz, Ultra 3 has 80 MHz and Ultra 320 has 80 MHz.
- B. Ultra 2 has 80 MHz, Ultra 3 has 160 MHz and Ultra 320 has 320 MHz.
- C. Ultra 2 has 40 MHz, Ultra 3 has 40 MHz and Ultra 320 has 80 MHz.
- D. Ultra 2 has 40 MHz, Ultra 3 has 80 MHz and Ultra 320 has 160 MHz.

Answer: C

QUESTION: 2

What are the correct statements about Fibre Channel cable routing or handling?
(Select three).

- A. Route cables at a 90 degree angle with a bending radius less than 2.5 cm/1 inch.
- B. Never bend the cables with a bending radius less than 7.62 cm/3 inch.
- C. If you must use cable ties, do not tighten them completely around Fibre Channel cables.
- D. When removing a cable from a transceiver, pull on the cable, not on the connector.
- E. You must firmly attach the cables to the cabinet with cable ties.
- F. Excess Fibre Channel cables should be coiled and tied loosely.

Answer: B, C, F

QUESTION: 3

You are replacing a defective blower in a redundant MSA1000 configuration.

Which statement is correct?

- A. Removing a blower significantly changes the airflow in the cabinet. The power supply will shutdown the array after 5 minutes.
- B. Although removing a blower does not change the airflow within the enclosure, do not remove the blower until the replacement part is available.
- C. Power off the MSA1000 during replacement to reduce the risk of personal injury.
- D. Replace both blowers at the same time because when one blower is defective, the other may fail soon.

Answer: B

QUESTION: 4

The customer has a redundant MSA1000 configuration in a Windows 2000 environment.

What is the recommended procedure to replace the active MSA1000 controller?

- A. Only a passive controller should be replaced. To do the replacement, you must power off the MSA1000.
- B. Only a passive controller can be replaced. To do the failover, you must remove the active controller.
- C. Only a passive controller can be replaced. The active controller cannot be replaced.
- D. Only a passive controller should be replaced. To do the failover, you must failover all LUNs using the Secure Path GUI.

Answer: D

QUESTION: 5

The customer has a single controller MSA1000 configuration. What is the recommended action to replace the failed controller?

- A. Power down the MSA1000. Remove the failed controller and install the old cache module in the replacement controller.
- B. Push the left arrow push button on the front panel to clear the cache of the controller and replace the failed controller.
- C. Replace the failed controller online, with a new cache installed.
- D. Push the right arrow push button on the front panel to clear the cache of the controller and replace the failed controller.

Answer: A

QUESTION: 6

In a fully operational MSA1000 with two redundant controllers, one controller fails. The replacement controller has a newer firmware version. What happens when the MSA1000 is powered off while the new controller is inserted and then powered on?

- A. The old firmware remains operational and will also be used on the new controller.
- B. The MSA1000 recognizes that there are different firmware versions, displays an error message and stops operation.

C. The MSA1000 compares the firmware on both controllers and uses the most recent version.

D. The old firmware remains operational. The replacement controller with the new firmware must be downgraded manually.

Answer: C

QUESTION: 7

You have a configuration with 3 virtual disks configured in one array. One virtual disk is RAID 0, one is RAID 5 and one is ADG. Identify the correct statements if one hard drive has failed and you remove a wrong (running) drive from this array. Select TWO.

- A. RAID 5 has data loss after first drive failure.
- B. ADG has data loss when you remove the wrong drive.
- C. RAID 5 has data loss when you remove the wrong drive.
- D. ADG is still online.
- E. RAID 5 is still online.

Answer: C, D