Pass-Sure $99 Lifetime Membership Features;

- Pass-Sure $99 Lifetime Membership Package includes over **1700** Exams.
- **All** exams Questions and Answers are included in $99 package.
- **All** Audio Guides are included **free** in $99 package.
- **All** Study Guides are included **free** in $99 package.
- **Lifetime** login access.
- **Free updates** for Lifetime.
- **Free Download Access** to All new exams added in future.
- Accurate answers with explanations (If applicable).
- Questions accompanied by exhibits (If applicable)
- Verified answers researched by industry experts.
- Study Material **updated** on regular basis.
- Questions, Answers and Study Guides are downloadable in **PDF** format.
- Audio Exams are downloadable in **MP3** format.
- **No authorization** code required to open exam.
- **Portable** anywhere.
- 100% success *Guarantee*.
- **Fast**, helpful support 24x7.

View list of All exams (Q&A) downloads
http://www.pass-sure.com/allexams.asp

View list of All Study Guides (SG) downloads
http://www.pass-sure.com/study-guides.asp

View list of All Audio Exams (AE) downloads
http://www.pass-sure.com/audio-exams.asp

Download All Exams Samples
http://www.pass-sure.com/samples.asp

To purchase $89 Lifetime Full Access Membership click here
http://www.pass-sure.com/purchase.asp

3COM	CompTIA	Filemaker	IBM	LPI	OMG	Sun
ADOBE	ComputerAssociates	Fortinet	IISFA	McAfee	Oracle	Sybase
APC	CWNP	Foundry	Intel	McData	PMI	Symantec
Apple	DELL	Fujitsu	ISACA	Microsoft	Polycom	TeraData
BEA	ECCouncil	GuidanceSoftware	ISC2	Mile2	RedHat	TIA
BICSI	EMC	HDI	ISEB	NetworkAppliance	Sair	Tibco
CheckPoint	Enterasys	Hitachi	ISM	Network-General	SASInstitute	TruSecure
Cisco	ExamExpress	HP	Juniper	Nokia	SCP	Veritas
Citrix	Exin	Huawei	Legato	Nortel	See-Beyond	Vmware
CIW	ExtremeNetworks	Hyperion	Lotus	Novell	SNIA	

QUESTION 1

You have a host connected to an EVA6000 using two HBAs. You find that the EVA is only accessible through one HB
A. What are the possible causes? (Choose three.)

A. The wrong HBA WWID was added to the host-defined ports
B. There is a faulty FC cable
C. One HSV controller is powered off
D. Virtual properties are set for no fialback
E. The Fabric is not properly zoned

Answer: A,B,E

QUESTION 2

What is a characteristics of Vraid0? (Choose three.)

A. 4+0 PSEGs per Rstore
B. No disk failure data protection
C. Single disk failures data protection
D. Good read and write access
E. Good read and poor write access
F. 4 + 4 PSEGs per Rstore

Answer: A,B,D

QUESTION 3

Which statement task is required after Command View EVA V6 or later is installed?

A. Creation of the HP Storage Users and the HP storage Admin groups
B. Assignment of Windows users to the HP Storage users and the HP Storage Admin groups
C. Initialization of the Command View EVAPerf performance counters
D. Installation of the Storage System Scripting Utility and SMI-S EVA

Answer: B

QUESTION 4

Which Fibre Channel topology does the EVA support for host connectivity? (Choose two.)

A. FICON
B. Direct Connect
C. Interswitch (ISL)
D. Switched fabric
E. Arbitrated loop

Answer: B,D

QUESTION 5
You connect a 0C6D expansion rack to a fully equipped 2C12D rack. What is the maximum number of disk drives that can be added to achieve a supported configuration?

A. 72
B. 56
C. 84
D. 60

Answer: A

QUESTION 6
A Vraid5 virtual disk has been created in a 12-member disk group. What is the result of the loss of one disk?

A. No change in the number of RSSs
B. Reordering of disks in each RSS
C. Reduction in the number of RSSs
D. Addition of a new Redundant Storage set (RSS)

Answer: C

QUESTION 7
What is the maximum number of disk drives supported by one HSV210 controller pair in the EVA?

A. 56
B. 256
C. 240
D. 120

Answer: C

QUESTION 8
How many PSEGs are used in a Vraid5 Rstore/

A. 4+3
B. 3+1
C. 3+2
D. 4+1
E. 4+2

Answer: D

QUESTION 9

What happens to the Vraid5 when you have two disks drives residing in different
Redundant Storage Sets (RSSs) that go into the Failed state simultaneously?

A. The Vraid5 fails and there is data loss
B. The Vraid5 virtual disk stays in degraded mode and the data are preserved
C. The two failed drives go into the migrating state to preserve the data
D. Data on the remaining disk drives are releveled
E. The data from the failed disk drives are reconstructed

Answer: D,E

QUESTION 10

Which component in an EVA4000 subsystem is responsible for bypassing failed disk
drives?

A. Environmental monitoring unit (EMU)
B. Fibre channel loop switch
C. The array controller (HSV Controller)
D. Disk drive enclosure I/O module

Answer: D

QUESTION 11

The EVA 4000/6000/8000 has an active/active controller architecture. Where is the
latency in the read I/O performance when the read request is issued to the non-owning
controller?

A. Between the switch and the non-owning controller
B. In the non-owning controller cache
C. Across the mirror port
D. Between the switch and the owning controller

Answer: C

QUESTION 12

In an EVA8000 2C12D, how many FC connections are used per I/O module in an
M5314A drive enclosure?

A. 1
B. 2
C. 8
D. 4

Answer: A