

# IIS SMTP Monitor

© DotNetPark Ltd. 2007

## What is IIS SMTP Monitor

IIS SMTP Monitor program (Windows service) is a tool for IIS Pickup folder monitoring. The tool saves the following information in its log file:

- File Name
- File Owner (Windows User Name)
- First N bytes of the file

## Installation

Run setup-iis-smtp-monitor.exe and follow the instructions.

## Configuration

The service parameters are saved in its INI file. You can open/edit this file by selecting *[Start] -> All Programs -> IIS SMTP Monitor -> INI Options*. You must restart the service if you have changed something in the INI file.

INI file parameters:

<b>LogPeriod</b>	How to create the log: 0 – one common log file 1 – separate log file every day
<b>LogPath</b>	Path to logs. Default: C:\Program Files\IIS SMTP Monitor\Logs
<b>ReadFirstBytes</b>	The service reads the first bytes from the monitored files (email messages) and then saves to the log. This parameter says how many bytes should be read.  If ReadFirstBytes=0 , the service does not read the files, just saves the file name and owner name.  <b>Warning!</b> The more bytes it reads, the slower it works.  Default: 128
<b>PathToMonitor</b>	Path to Pickup folder of IIS SMTP.  Default: c:\inetpub\mailroot\pickup\
<b>Priority</b>	The service priority (Windows process priority). 0 - low, 1 - normal, 2 - high.  Default: 1

## How to start the service

In Windows select *[Start] -> All Programs -> IIS SMTP Monitor -> Start IIS SMTP Monitor* to start the service.

## How to stop the service

In Windows select *Start -> All Programs -> IIS SMTP Monitor -> Stop IIS SMTP Monitor* to stop the service.