

# **LOT-829 – IBM WebSphere Portal 6 Application Development**

**<http://www.Pass-Guaranteed.com>**



*100% Pass-Guaranteed or Your Money Back!!!*

## *LOT-829 Practice Exam Questions Demo*

### **QUESTION: 1**

Tony is just beginning to work with a Faces portlet in RAD. Since RAD automatically switched to the Web Perspective when he started the project, where can he find Enhanced Faces Components (such as a Data Table) to 'drag and drop' onto the page editor?

- A. In the Palette
- B. In the Quick Edit view
- C. In the Page Data view
- D. In the Project Explorer

**Answer: A**

### **QUESTION: 2**

The Personalization resource wizard in Rational Application Developer is used to generate the content spot classes and resource collection classes. If the content spot and resource collection will be used by multiple applications, then those classes should be:

- A. Deployed together with the related portlets in the portlet application WAR file.
- B. Placed in the WebSphere Application Server shared library.
- C. Placed directly in the pzn\_root/pzn/v6.0/lib directory.
- D. Uploaded using the Personalization interface.

**Answer: B**

### **QUESTION: 3**

Padma is developing a portlet that will access an Enterprise Information System (EIS) using the JSR 235 specification. The requirements for her portlet application include the ability to modify data in the EIS.

If the portlet - via its mediator - allows users to modify query results and apply changes to the back-end, what is the mechanism by which it provides data about the changes (success, failure, errors, etc.)?

- A. SDO Mediator
- B. SDO DataGraph
- C. CommandMediator Object
- D. CommandMediatorMetaData Object

**Answer: B**

### **QUESTION: 4**

A developer needs to test and debug a JSR 168 portlet running on a remote WebSphere Portal V6 server.

What steps are needed to prepare the remote server before the developer can use Rational Application Developer 7 to test and debug?

- A. The debug mode and parameters need to be set in WebSphere Portal Administration and WebSphere Portal needs to be restarted.

***100% Pass-Guaranteed or Your Money Back!!!***

## *LOT-829 Practice Exam Questions Demo*

B. The debug mode and parameters need to be set in WebSphere Application Server Administrative Console and WebSphere Portal needs to be restarted.

C. The debug mode and parameters need to be set in wpconfig.properties and WPSconfig, the WebSphere Portal configuration task needs to be run.

D. The Portal.enable.jsr168 must be set to true in ConfigService.properties and WebSphere Portal needs to be restarted.

**Answer: B**

### **QUESTION: 5**

According to the JSR 168 specification, how should a portlet change its window state to maximized, if the portlet can only determine the requirement for the window state change after some initial action processing?

A. During an actionProcess method invocation, use the setWindowState method found on the ActionRequest object.

B. In the doView mode, use the setWindowState method found on the RenderResponse object.

C. In the render phase, use the setWindowState method on the RenderRequest object.

D. During an actionProcess method invocation, use the setWindowState method found on the ActionResponse object

**Answer: D**

### **QUESTION: 6**

Which of the following describes the lifecycle of a JSR 168 portlet?

A. A portlet is initialized from a pool of entity portlets; a service method is used to render the portal content; the portlet is removed from service and made available to the cache pool; the pool is purged when the portal terminates.

B. The portlet is initialized; the processAction method is called to perform any action processing; the render method is called to render content; the destroy method is called when the portlet is to be removed from service.

C. A portlet is initialized; a service method is called to perform method invocation; the pageBegin method is called to handle the page header information; when the portal terminates the portlet is destroyed.

D. A portlet is initialized inside the portal; a service method calls the doView method and other subsequent calls; the portlet is removed and destroyed.

**Answer: B**

### **QUESTION: 7**

A JSF managed bean is bound to an SDO (Service Data Objects)

What is the effect of changes made by an end user to the corresponding values in the UI component(s)?

A. The update may be persisted through the SDO mediator by application code during the Invoke Application JSF request phase.

B. The update is persisted through the SDO mediator automatically during the Invoke Application JSF request phase.

***100% Pass-Guaranteed or Your Money Back!!!***

*LOT-829 Practice Exam Questions Demo*

- C. The update is persisted through the SDO mediator automatically during the Update Model Values JSF request phase.
- D. The update is persisted through the SDO mediator automatically during the Apply Request Values JSF request phase.

**Answer: C**