



Exam: HP0-823

Implementing MSA Storage Solutions

Demo: Version 2.0

Download Full Version Visit at

www.real-exams.net

© 2007- 2008 Real-Exams, LTD All Rights Reserved

<http://www.real-exams.net>

<http://www.testking.com.tw>

Study Tips

This product will provide you Qs and answers carefully compiled and written by our experts. Try to understand the concepts behind the Qs instead of cramming the Qs. Go through the entire document at least twice so that you make sure that you are not missing anything.

Important Note:

Please Read Carefully

This Real-Exams.net exam has been carefully written and compiled by Real-Exams.net experts. It is designed to help you learn the concepts behind the Qs rather than be a strict memorization tool. Repeated readings will increase your comprehension.

We continually add to and update our exams with new Qs, so check that you have the latest version of this exam right before you take your exam.

For security purposes, each PDF file is encrypted with a unique serial number associated with your Real-Exams.net account information. In accordance with International Copyright Law, Real-Exams.net reserves the right to take legal action against you should we find copies of this PDF file has been distributed to other parties.

Please tell us what you think of our exam. We appreciate both positive and critical comments as your feedback helps us improve future versions.

We thank you for buying our product and look forward to supplying you with all your Certification training needs.

Good studying!

Real-Exams Academic Professionals and Support Team

DISCLAIMER

This study guide and/or material is not sponsored by, endorsed by or affiliated with Microsoft, Cisco, Oracle, Citrix, CIW, Checkpoint, Novell, Sun/Solaris, CWNA, LPI, ISC, Etc. All trademarks are properties of their respective owners.

QUESTION NO: 1

What enables snapshot capability in an MSA1500 based environment?

- A. The array migration capability
- B. Host based snapshot solutions
- C. The snapshot-capable firmware
- D. Advanced Data Guarding (ADG)

Answer: B

QUESTION NO: 2

What does the blue LED on a SATA drive indicate?

- A. Spare Drive
- B. Not part of any array
- C. Selected by a management application
- D. Active capacity expansion or stripe size migration

Answer: C

QUESTION NO: 3

Which solution allows block level access to a storage system connected to the LAN?

- A. File sharing
- B. iSCSI (Internet SCSI)
- C. FCIP (Fibre Channel IP)
- D. TFTP (Trivial File Transfer Protocol)

Answer: B

QUESTION NO: 4

Both online and near-online storage are supported by which MSA systems? (Select two.)

- A. MSA30
- B. MSA500
- C. MSA1510i
- D. MSA1000
- E. MSA1500

Answer: C,E

QUESTION NO: 5

testking.com.tw wants to implement an MSA1000 solution. What are three supported inter-connect options? (Select three.)

- A. Hub 12
- B. MSA Hub 2/3
- C. FC-AL Switch
- D. SAN Switch 2/8
- E. HP SAN Switch Family

Answer: B,D,E

QUESTION NO: 6

How can you manually balance the load on the storage controllers in an active/active multipathing environment?

- A. Disable multipathing during LUN creation
- B. Explicitly assign the LUNs to the controllers
- C. Create the logical drives on different disk arrays
- D. Temporarily switch to active/passive multipathing

Answer: B

QUESTION NO: 7

You migrate two fully populated external enclosures from a supported controller to an MSA1000 using the DAS-to-SAN (Dts) process. The external drives are configured with 20 volumes. The existing MSA1000 has 16 volumes configured. What happens?

- A. The DtS process is successful and the MSA1000 has 36 Volumes attached
- B. The DtS process is partially successful and the MSA1000 has up to 32 volumes attached
- C. The DtS process fails. No volumes from the externally migrated enclosures are available
- D. The DtS process is partially successfully and the MSA1000 has up to 32 volumes attached: 20 volumes from the externally migrated storage and 12 from the existing volumes

Answer: B

QUESTION NO: 8

Which additional functional is provided by active/active failover in contrast to active/passive failover?

- A. Support for MPIO multipath software
- B. Parallel access to any LUN via both controllers
- C. Dual controller support over a single fibre channel connection
- D. Simultaneous I/O processing of the controller pair on different LUNs

Answer: D

QUESTION NO: 9

What can be used to determine which model of the Emulex-based card (i.e LP950 or LP9000) your system is using? (Select two.)

- A. Windows Device Manager
- B. Light Pulse Utility
- C. Fibre Diagnostics Utility

D. BIOS of the Emulex-Based host bus adapter (HBA)

Answer: B,D

QUESTION NO: 10

testking.com.tw network contains 15 windows hosts. Five hosts are connected to a SAN, which contains two Brocade 2/16 switches. Where is secure path manager installed in this SAN?

- A. On the switches
- B. On the MSA1000
- C. On the host on the SAN
- D. On any host on the network

Answer: D

