



Exam: JN0-531

Juniper Networks Certified Internet Specialist

Demo: Version 2.0

Download Full Version Visit at

www.real-exams.net

© 2007- 2008 Real-Exams, LTD All Rights Reserved

<http://www.real-exams.net>

<http://www.real-exams.net>

Study Tips

This product will provide you Qs and answers carefully compiled and written by our experts. Try to understand the concepts behind the Qs instead of cramming the Qs. Go through the entire document at least twice so that you make sure that you are not missing anything.

Important Note:

Please Read Carefully

This Real-Exams.net exam has been carefully written and compiled by Real-Exams.net experts. It is designed to help you learn the concepts behind the Qs rather than be a strict memorization tool. Repeated readings will increase your comprehension.

We continually add to and update our exams with new Qs, so check that you have the latest version of this exam right before you take your exam.

For security purposes, each PDF file is encrypted with a unique serial number associated with your Real-Exams.net account information. In accordance with International Copyright Law, Real-Exams.net reserves the right to take legal action against you should we find copies of this PDF file has been distributed to other parties.

Please tell us what you think of our exam. We appreciate both positive and critical comments as your feedback helps us improve future versions.

We thank you for buying our product and look forward to supplying you with all your Certification training needs.

Good studying!

Real-Exams Academic Professionals and Support Team

DISCLAIMER

This study guide and/or material is not sponsored by, endorsed by or affiliated with Microsoft, Cisco, Oracle, Citrix, CIW, Checkpoint, Novell, Sun/Solaris, CWNA, LPI, ISC, Etc. All trademarks are properties of their respective owners.

QUESTION NO: 1

You have configured the following on your device.

```
set address trust MyPC 10.1.1.5/32
set address untrust CorpNet 10.10.0.0/16
set policy from trust to untrust MyPC CorpNet any permit
set int tunnel.1 zone untrust
set int tunnel.1 ip unnumbered int bgroup1
set ike gateway GW address 1.1.1.1 outgoing-interface e0/1 preshare Secret sec-level
standard
set vpn VPN gateway GW sec-level standard
```

The VPN is not working properly. What is the problem?

- A. The policy needs to have the action tunnel.
- B. The VPN needs to be bound to the tunnel interface.
- C. The tunnel interface needs to be associated with the interface in the untrust zone.
- D. The tunnel interface needs to be placed in the trust zone.

Answer: B

QUESTION NO: 2

To which three ScreenOS components can a policy-based routing policy be bound?
(Choose three.)

- A. zone
- B. virtual system
- C. policy
- D. interface
- E. virtual router

Answer: A,D,E

QUESTION NO: 3

How many SNMP communities can be created in a ScreenOS device?

- A. 1
- B. 2

- C. 3
- D. 8

Answer: C

QUESTION NO: 4

You have taken your backup ScreenOS device out of production for some maintenance. The device is brought back online and rejoins the NSRP cluster. You determine that the two devices are out of sync. Which command will sync the devices and on which device should it be run?

- A. set nsrp sync global-config save run on the Backup
- B. set nsrp sync global-config save run on the Master
- C. exec nsrp sync global-config save run on the Backup
- D. exec nsrp sync global-config save run on the Master

Answer: C

QUESTION NO: 5

What do you need to change in your VPN configuration to use certificates for authentication?

- A. Replace the preshared key with the certificate name.
- B. Use a custom set of Phase2 proposals, all beginning with rsa-.
- C. Select PFS in Phase2, then select the certificate to be used.
- D. Use a custom set of Phase1 proposals, all beginning with rsa-.

Answer: D

QUESTION NO: 6

You have configured set nsrp vsd-group master-always-exist on your ScreenOS device. What does this do?

- A. This device will always be master in the NSRP cluster.
- B. The vsd-group will always be homed to the master in the NSRP cluster.
- C. There will always be a master device in the NSRP cluster.
- D. The NSRP protocol will not initialize without a master.

Answer: C

QUESTION NO: 7

Which command allows you to verify active connections when Shared IKE ID is in use?

- A. get users active
- B. get xauth active
- C. get ike xauth users
- D. get auth table

Answer: B

QUESTION NO: 8

From which port can the ScreenOS device send SYSLOG messages?

- A. TCP port 22
- B. TCP port 53
- C. TCP port 25
- D. TCP port 161

Answer: B

QUESTION NO: 9

What is the maximum number of DSCP bits that can be configured for rewrite by a ScreenOS device?

- A. 1
- B. 6
- C. 8
- D. 3

Answer: B

QUESTION NO: 10

What determines which interface is the primary link in a redundant interface group?

- A. the lowest numbered interface on the device
- B. the highest numbered interface on the device
- C. the highest MAC address
- D. the first interface placed in the group
- E. the lowest MAC address

Answer: D

